

NUCOR
SHEET MILL GROUP
DELIVERING MORE THAN STEEL

April 16, 2004

Dear Valued Customers:

Effective June 1, 2004, Nucor Steel Sheet Mill Group is increasing transactional pricing of flat rolled products a minimum of \$20/ton. This price change reflects continued strong demand at all of our facilities.

All orders shall be subject to surcharges in effect at time of shipment. Nucor's standard terms and conditions of sale shall apply to all goods sold by Nucor.


Each flat rolled division is now accepting orders for June 2004 only. All orders must first be reviewed by your Nucor District Sales Manager prior to sending them to the mill. Any orders received and not pre-reviewed will be returned.

Additionally, should market conditions change, we reserve the right to review and re-quote any offers that are not confirmed with either firm Nucor sales order acknowledgements or mutual written acceptance by both parties. We may also revise pricing if further changes are needed.

Sincerely,

Tim Hill

Manager, Marketing & Sales



HOT ROLLED SHEET

All coils are sold on actual weight basis - FOB mill - Crawfordsville, IN and listed in hundred weight.

February 14, 2003

BASE PRICE		INQUIRE	
WIDTH & THICKNESS EXTRAS	GAUGE	WIDTHS	
		34.00-41.99	42.00-55.00
	.083" - .625"	1.50	none
	.089" - .082" *	2.00	0.50
	.062" - .068" *	3.00	1.50
	.055" - .061" *	4.00	2.50

* No shape claims accepted on HR in these gauge ranges if material is ordered without temper passing.

NOTE THAT NOT ALL WIDTH / THICKNESS / GRADE COMBINATIONS ARE AVAILABLE.
 PLEASE INQUIRE SPECIFIC ITEMS TO ENSURE THEY ARE WITHIN OUR CAPABILITY.

Due to grade availability and/or scheduling constraints standard lead times on some items may require a minimum order quantity of one or more heats (approximately 120 tons).

GRADE/ CHEMISTRY EXTRAS		Extra
Standard Chemistries		none
	1005 to 1010 Modified	0.25
	1015 to 1026	0.50
	1030 to 1035	2.00
	1042 to 1055	3.00
	1060 to 1070	4.50
	1074 to 1085	
Drawing Steel		0.50
HSLA Grades (micro alloy)*		
	40 ksi to 50 ksi min yield strength	0.75
	55 ksi min yield strength	1.00
	60 ksi to 65 ksi min yield strength	1.50
	70 ksi min yield strength	2.50
	80 ksi min yield strength	4.00
Structural Steel Grades*		
	Grade: 30, 33, 36, 40, 45	0.25
	Grade: 50	0.50
	Grade: 55	0.75

* HSLA & SS extras include mechanical properties testing & certification.

Alloy Grades	4xxx, 5xxx	Inquire
API Line Pipe	available - please inquire specific gauge & strength level	Inquire

Please inquire any custom grades or modifications to standard grade chemistries.

MECHANICAL PROPERTIES CERTIFICATION (must be requested if not automatic with ordered spec) 0.25


COIL SIZE AVAILABILITY		
	30,000 lb and heavier (700 min PIW)	none
	Coil Weights < 30,000 lbs. (<700 PIW)	Inquire

PROCESSING EXTRAS		Extra
Pickling	.069"-.250" min pickling (dry or oiled) - mill edge	1.25
Pickling	.055"-.068" min pickling (dry or oiled) - mill edge	1.75
Temper Pass	.055"-.100" min	0.75
Cut Edge	.055"-.250" min	0.50

An *italicized* item denotes change from previously issued price sheet. All prices are subject to change without notice.
 Pricing may be subject to a raw materials surcharge at time of shipment. Pricing based on standard gauge, width, tolerance, chemistry and mechanical properties; deviations subject to price extras.
 Unless otherwise specified, full standard ASTM tolerances apply.

Nucor Steel Indiana is a QS-9000 certified company

Ref-0007




NUCOR
SHEET MILL GROUP
DELIVERING MORE THAN STEEL

Nucor Steel Indiana, Cold Rolled Products Price Sheet

16 February 2004	Width and Thickness	<u>\$/cwt</u>
Width	42.00" to 52.00"	Base
	36.00" to 41.99"	\$1.50
Thickness	0.028" to 0.072"*	Base
	0.022" to 0.027"	\$1.00
Not all gauge, grade and width combinations may be available.	0.018" to 0.021"	\$3.00
	0.013" to 0.017"	inquire
	*CS available to 0.095"	
	Grade and Chemistry	
Commercial Steel (CS)	C1005 to C1008	Base
	C1015 to C1030	\$0.25
Commercial Steel (CS)		
Drawing Steel (DS)	inquire specific property reqt's	\$0.75
Structural Steel (SS)	Grades 33 and 40 Type 1	inquire
Speroidized Annealed	C1035 to C1074	inquire
HSLA Grades ASTM, SAE and JIS specified grades available. Includes certification.	45 ksi min. yield (310 MPa)	\$1.00
	50 ksi min. yield (340 MPa)	\$1.50
	55 ksi min. yield (380 MPa)	\$1.75
	60 ksi min. yield (410 MPa)	\$1.75
A606 Type 4	C1008 w/Cu,Ni,Cr,P,Si	\$3.00
¼ Hard, #3 Temper ½ Hard, #2 Temper Full Hard	C1008 w/P	\$0.75
	C1015 w/P	\$0.75
	C1005 to C1074	inquire
CRML	Cold Rolled Motor Lamination	inquire
Alloy	4xxx, 5xxx	inquire
Mechanical Tests and Cert's	request if not provided w/ordered spec.	\$0.25
Coil Weight Extras	ordered minimum of 36,000 lbs	Base
	24,000 lbs to 35,999 lbs	\$0.50
	15,000 lbs to 23,999 lbs	Base
	12,000 lbs to 14,999 lbs	\$0.50
Packaging	Standard paper wrapping provided at no charge. Inquire non-standard packaging requirements.	

An *italicized* item denotes change from previously issued price sheet. All prices are subject to change without notice. Product may be subject to a raw materials surcharge at time of shipment. Inquire base pricing for all items. All coils are sold on an actual weight basis, FOB mill. Grade availability and lead time constraints may require a minimum order quantity.



NUCOR
SHEET MILL GROUP
DELIVERING MORE THAN STEEL

Crawfordsville, IN

GALVANIZED SHEET

All coils are sold on actual weight basis - FOB mill - Crawfordsville, IN and listed in hundred weight.

February 14, 2003

BASE PRICE

INQUIRE

SUBSTRATE MATERIAL cold roll .018" - .080" min
(hot roll only applies to galvanized) hot roll .080" - .130"
* Hot band substrate is produced for non-surface critical applications only.

extra
Base
Inquire

WIDTH & THICKNESS EXTRAS	GAUGE		WIDTHS	
		35.5"-41.99"	42.00"-52.50"	
	.026" - .130"	1.50	BASE	
	.022" - .025"	2.50	1.00	
	.018" - .021"	4.50	3.00	

NOTE THAT NOT ALL SUBSTRATE / WIDTH / THICKNESS / GRADE / FINISH COMBINATIONS ARE AVAILABLE. PLEASE INQUIRE ANY SPECIFIC ITEMS TO ENSURE THEY ARE WITHIN OUR CAPABILITY.

Due to grade availability and/or scheduling constraints standard lead times on some items may require a minimum order quantity of one or more heats (approximately 120 tons).

COATING EXTRAS

gauge range	G40	G60	G90	G115	G140
.103" - .130"	0.50	0.75	1.00	1.50	1.75
.055" - .102"	0.75	1.00	1.75	2.50	3.00
.040" - .054"	1.00	1.50	2.25	3.25	4.00
.033" - .039"	1.25	1.75	2.75	3.75	4.75
.028" - .032"	1.50	2.25	3.25	4.25	--
.025" - .027"	1.75	2.50	3.75	--	--
.022" - .024"	2.00	3.00	4.25	--	--
.018" - .021"	2.50	3.50	4.75	--	--

*Please inquire G165

SURFACE FINISH & TREATMENT

Regular and Minimum Spangle	extra
Extra Smooth (temper rolled)	none
Oiled	0.50
Chem Treat (chromate)	none
Oiled (specified type)	0.50
	0.40

* All galvanized material is tension leveled in-line.

UL TESTING

GRADE CHEMISTRY EXTRAS

<i>ASTM A653 CS Type B</i>	none
<i>ASTM A653 SS Grades 33, 37, 40, 50 or 80 (includes mech props certification)</i>	0.25
<i>ASTM A653 FS Type B (Inquire)</i>	0.25
<i>ASTM A653 HSLA Grade 50 Type A or B (includes mech props certification)</i>	1.50
<i>ASTM A653 HSLA Grade 80</i>	Inquire
<i>Standard Chemistries C1015, C1017, C1018, C1020</i>	0.50
<i>Specified Hardness (includes certification)</i>	0.50
<i>Full Hard</i>	Inquire

COIL SIZE AVAILABILITY

Ordered Minimum of 36,000 lb Coils and Heavier	none
Ordered Minimum of 24,000 lb Coils through 35,999 lb Coils	0.50
Ordered Minimum of 18,000 lb Coils through 23,999 lb Coils	none

An *italicized* item denotes change from previously issued price sheet. All prices are subject to change without notice. Pricing may be subject to a raw materials surcharge at time of shipment. Pricing based on standard gauge, width, tolerance, chemistry and mechanical properties; deviations subject to price extras. Unless otherwise specified, full standard ASTM tolerances apply.

Nucor Steel Indiana is a QS-9000 certified company

Ref-0007